


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	116	((table\$3 entr\$5 list\$3)) and (foreign near3 gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:43
L6	3	(co-located adj3 care adj address\$3) with (share\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:46
L7	8	(co-located adj3 care adj address\$3) with (temporar\$9 direct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:47
L9	4	(care adj address\$3) near3 (external)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:50
L10	0	(care adj address\$3) with (allow\$5 enable\$5) with (connect\$3 communication\$3) with (external)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:51
L11	4	(care adj address\$3) with (connect\$3 communication\$3) with (external)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:52
L12	84	mobile\$3 adj3 (enable\$3 allow\$5) near9 (connect connection communicat\$5 packet\$5) near9 (roam\$5 external)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 17:45
L23	482	(lifetime\$3) with (mobile\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 19:42

L24	23	(lifetime\$3) with (mobile\$3) with (foreign adj agent\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 19:55
L25	34	(lifetime\$3) with (foreign adj agent\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 19:55
S1	76	(gateway near foreign)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 16:18
S2	2	(gfa) with (regional adj registrat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 12:53
S3	11	(S1 gfa) and (care adj address\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 17:55
S4	2	(visitor adj list\$3) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 15:23
S5	3	(visitor\$3 adj list\$3) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:42
S6	3	(visitor\$3 adj list\$3) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:26

S8	28	(mobile adj node\$3) with (exist\$3) with (list\$3 table\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 16:12
S10	174	(visitor\$3 adj (table\$3 list\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 16:13
S11	4	(visitor\$3 adj (table\$3 list\$3)) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 16:13
S12	5	(visitor\$3 near2 (table\$3 list\$3)) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 16:14
S13	5	(visitor\$3 near5 (table\$3 list\$3)) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 16:14
S14	5	(visitor\$3 near5 (table\$3 entr\$5 list\$3)) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 16:18
S15	1	(visitor\$3 near5 (table\$3 entr\$5 list\$3)) same (gateway near2 foreign)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 16:40
S16	88	determin\$9 near9 (visitor\$3 near5 (table\$3 entr\$5 list\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 16:50

S17	5	determin\$9 near9 (visitor\$3 near5 (table\$3 entr\$5 list\$3)) with (foreign adj agent\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 16:50
S18	59	(visitor\$3 near3 (table\$3 entr\$5 list\$3)) with (foreign adj agent\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 11:00
S19	7	(visitor\$3 near3 (table\$3 entr\$5 list\$3)) with (foreign adj agent\$3) with (permanent\$5 lifetime\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 16:55
S20	14	((("20040260752") or ("20040098507") or ("20040092260") or ("20040066760") or ("20030224788") or ("20030217180") or ("20030217145")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 16:56
S21	7	S20 and (visitor\$3 adj3 (table\$5 list\$3 entr\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 16:56
S22	4	(visitor\$3 near3 (table\$3 entr\$5 list\$3)) with (foreign adj agent\$3) with (exist\$5 valid\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 17:47
S23	1	(visitor\$3 near3 (table\$3 entr\$5 list\$3)) and "20040153525".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 17:02
S24	11	(S1 gfa) and (care-address\$5 (care adj address\$5)) and (table\$3 list\$3 entr\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 17:55

S25	1	(visitor\$3 near3 (table\$3 entr\$5 list\$3)) with (foreign near3 gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 11:19
S26	11	((table\$3 entr\$5 list\$3)) with (foreign near3 gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 11:20
S27	1013	(visitor\$3 near3 (table\$3 entr\$5 list\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 11:19
S28	191	S27 and ("455"/\$ "709"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 11:19
S29	116	((table\$3 entr\$5 list\$3)) and (foreign near3 gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 11:23
S30	61	((table\$3 entr\$5 list\$3)) and (foreign near gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 11:31
S31	36	((table\$3 entr\$5 list\$3) with mobile\$5) and (foreign near gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 12:25
S34	268	((care adj address\$5) (care-address\$5)) with mobile\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 12:53


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) ^{New!} [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

 Results 1 - 10 of about **60,400** for "**lifetime value**" "**mobile**". (0.29 seconds)

HP-UX Mobile IPv6 Deployment Components

Getting Started with HP-UX Mobile IPv6 -- HP-UX Mobile IPv6
 A.01.00 ... The max-binding-lifetime value must be an integer in
 the range [1-262140] and must ...
[docs.hp.com/en/5990-8592/ch03s02.html](#) - 64k -
[Cached](#) - [Similar pages](#)

Sponsored Links

Customer Lifetime Value

Calculate **Lifetime Value** w/WiseGuys
 Our low cost Access software.
[www.DesktopMarketingInc.com](#)

s Extended Lifetime Value the Answer for Mobile

Networks? - Topic ...

.. First why did I say NO, **Lifetime Value** is no magic cure for all that ails **Mobile**
Networks. **Lifetime Value** is not a single number that is an ANSWER. ...
[rmguru.infopop.cc/eve/ubb.x/a/tpc/f/4496097843/m/43510179121/r/10310922221](#) - 58k
[Cached](#) - [Similar pages](#)

Customer Lifetime Value In Siemens Healthcare - Research Papers ...

.. increase the **lifetime value** of your donors, while making it easy for your donors ...
 New Requirements in **Mobile** Manageability by Hewlett-Packard Company ...
[whitepaper.informationweek.com/.../Customer%20Lifetime%20Value%20In%20Siemens%20Healthcare](#) - [Similar pages](#)

MN-2-2-1-1-020 - Valid Lifetime (Lifetime of BA < Lifetime of BU)

.. Initialization of **Mobile** Node. Reboot NUT; Enable MN function ... (wait) # Wait during
 a maximum of the **lifetime value** in the Binding Acknowledgement[3] ...
[www.tahi.org/mipv6/doc-3.1/mipv6-mn/MN-2-2-1-1-020.html](#) - 14k -
[Cached](#) - [Similar pages](#)

MN-2-2-2-1-001 - BU of de-registration accepted (Status = 0)

... Position of **Mobile** Node HA0 NUT0 R1 R2 CN0 ||||| ----> |||| 1. ... the **Lifetime**
value sent in the Binding Update being acknowledged, the **mobile** ...
[www.tahi.org/mipv6/doc-3.1/mipv6-mn/MN-2-2-2-1-001.html](#) - 13k -
[Cached](#) - [Similar pages](#)

oyalty - As operators are launching new data and messaging ...

.. Minimising Churn and Increasing **Lifetime Value** Through Advanced ... The Only
 Networking & Learning Event Entirely Focussed On **Mobile** CRM & Loyalty ...
[www.telecoms.com/marlin/20001000461/ MARKT_EFFORT/marketingid/20001240863](#) -
 75k - [Cached](#) - [Similar pages](#)

Telecoms.com

... The company's InTeleStage family is a series of products designed to help **mobile**
 operators to extend the **lifetime value** of, and profits from, ...
[www.telecoms.com/marlin/30000000461/](#)
[ARTICLEVIEW/mp_articleid/1106072461841/mp_pubcode/GSMWF](#) - 77k -
[Cached](#) - [Similar pages](#)

Mobile Marketing Applications

.. and improve the adoption rate for consumers as well as the **lifetime value**. **Mobile** marketing campaigns are very successful when organized in a manner ...

www.innovativemobile.com/mobile___marketing___apps.htm - 17k - [Cached](#) - [Similar pages](#)

Telecommunications Online

.. To obtain an accurate customer **lifetime value** measurement, an operator needs to ...

.. however, as the **mobile** market reaches saturation, the evaluation ...

www.telecommagazine.com/default.asp?journalid=2&unc=articles&page=0104i27&year=2001&month=4 - 48k - [Cached](#) - [Similar pages](#)

Teradata Profitability Analytics: Profitability Measurements for ...

.. describes how Teradata Value Analyzer and Teradata **Lifetime Value** solutions help

you ... Change in the **mobile** communications industry is forcing **mobile** ...

www.teradata.com/t/page/85081/ - 46k - Apr 13, 2005 - [Cached](#) - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find:  emails -  files -  chats -  web history -  media -  PDF

"lifetime value" "mobile"

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



US 20040260752A1

(19) **United States**(12) **Patent Application Publication** (10) Pub. No.: **US 2004/0260752 A1**
Chandra et al. (43) Pub. Date: **Dec. 23, 2004**(54) **METHODS AND APPARATUS FOR
OPTIMIZING RESOURCE MANAGEMENT
IN CDMA2000 WIRELESS IP NETWORKS****Publication Classification**(51) Int. Cl.⁷ G06F 15/16
(52) U.S. Cl. 709/200(75) Inventors: **Madhavi W. Chandra**, Cary, NC (US);
Kent K. Leung, Mountain View, CA
(US); **Parviz Yegani**, Danville, CA
(US)Correspondence Address:
BEYER WEAVER & THOMAS LLP
P.O. BOX 778
BERKELEY, CA 94704-0778 (US)(73) Assignee: **Cisco Technology, Inc.**, San Jose, CA(21) Appl. No.: **10/600,157**(22) Filed: **Jun. 19, 2003**(57) **ABSTRACT**

An invention is disclosed that optimizes resource management within a PDSN. This is accomplished through the modification of functions of a AAA server. Specifically, when a node (e.g., mobile node) is authenticated by a AAA server in response to a request by a target PDSN to which the node has roamed, the AAA server may send a disconnect request message to a source PDSN indicating that the node has moved from the source PDSN. In this manner, the source PDSN is notified that it should terminate its session with the node and release resources associated with the session (e.g., PPP session). The source PDSN may then send a message to the AAA server indicating whether the session was successfully terminated (and whether the resources associated with that session were released).

